

Guide for SMS - Campaign Evaluation Questionnaire (Facebook)

March 3 2020

Project Overview

Data pulled on: 2024-12-26 22:07:02

Total number of observations: 655

All fields are counted among field types below even if they contain no data and/or are omitted from this report

radio fields: 150
descriptive fields: 29
text fields: 12
checkbox fields: 2
dropdown fields: 1

Identifier fields: 2
hcs_ceqpt_name1, hcs_ceqpt_email1

Omitted fields (all blank): 82

hcs_ceqpt23kh, hcs_ceqpt20kah, hcs_ceqpt20kbh, hcs_ceqpt20kch, hcs_ceqpt20kdh,
hcs_ceqpt20keh, hcs_ceqpt20kfh, hcs_ceqpt20kgh, hcs_ceqpt20khh, hcs_ceqpt23kf,
hcs_ceqpt20kaf, hcs_ceqpt20kbf, hcs_ceqpt20kcf, hcs_ceqpt20kdf, hcs_ceqpt20kef, hcs_ceqpt20kff,
hcs_ceqpt20kgf, hcs_ceqpt20khf, hcs_ceqpt23kc, hcs_ceqpt20kac, hcs_ceqpt20kbc,
hcs_ceqpt20kcc, hcs_ceqpt20kdc, hcs_ceqpt20kec, hcs_ceqpt20kfc, hcs_ceqpt20kgc,
hcs_ceqpt20khc, hcs_ceqpt23nh, hcs_ceqpt20nah, hcs_ceqpt20nbh, hcs_ceqpt20nch,
hcs_ceqpt20ndh, hcs_ceqpt20neh, hcs_ceqpt20nfh, hcs_ceqpt20ngh, hcs_ceqpt20nhh,
hcs_ceqpt23nf, hcs_ceqpt20naf, hcs_ceqpt20nbf, hcs_ceqpt20ncf, hcs_ceqpt20ndf, hcs_ceqpt20nef,
hcs_ceqpt20nff, hcs_ceqpt20ngf, hcs_ceqpt20nhf, hcs_ceqpt23nc, hcs_ceqpt20nac, hcs_ceqpt20nbc,
hcs_ceqpt20ncc, hcs_ceqpt20ndc, hcs_ceqpt20nec, hcs_ceqpt20nfc, hcs_ceqpt20ngc,
hcs_ceqpt20nhc, hcs_ceqpt23mh, hcs_ceqpt20mah, hcs_ceqpt20mbh, hcs_ceqpt20mch,
hcs_ceqpt20mdh, hcs_ceqpt20meh, hcs_ceqpt20mfh, hcs_ceqpt20mgh, hcs_ceqpt20mhh,
hcs_ceqpt23mf, hcs_ceqpt20maf, hcs_ceqpt20mbf, hcs_ceqpt20mcf, hcs_ceqpt20mdf,
hcs_ceqpt20mef, hcs_ceqpt20mff, hcs_ceqpt20mgf, hcs_ceqpt20mhf, hcs_ceqpt23mc,
hcs_ceqpt20mac, hcs_ceqpt20mbc, hcs_ceqpt20mcc, hcs_ceqpt20mdc, hcs_ceqpt20mec,
hcs_ceqpt20mfc, hcs_ceqpt20mgc, hcs_ceqpt20mhc, hcs_ceqpt31pt_oth

Each field in this annotated codebook gets an entry structured like this:

Field label	Field name	
Field type: (radio, text, etc)		
Observations with this field left blank: #		
Number of unique values: ##		
Branching logic: equation		
Choice value	Label	Frequency
value1	Choice 1 label	#
value2	Choice 2 label	#
value3	Choice 3 label	#

1. Instrument: campaign_evaluation_questionnaire

Record ID (text)	record_id
Field type: text Observations with this value left blank: 0 Number of unique values: 655	

Version # (text)	ceqpt_version
Field type: text Observations with this value left blank: 3 Number of unique values: 1	

UserID: (text)	userid
Required Field type: text Observations with this value left blank: 3 Number of unique values: 646	

In what state do you live? (dropdown)	hcs_ceqpt_state
Required Field type: dropdown Observations with this value left blank: 25 Number of unique values: 3	

Choice value	Label	Frequency
1	Alabama	0
2	Alaska	0
3	Arizona	0
4	Arkansas	0
5	California	0
6	Colorado	0
7	Connecticut	0
8	Delaware	1
9	Florida	0
10	Georgia	0
11	Hawaii	0

Choice value	Label	Frequency
12	Idaho	0
13	Illinois	0
14	Indiana	0
15	Iowa	0
16	Kansas	0
17	Kentucky	0
18	Louisiana	0
19	Maine	0
20	Maryland	0
21	Massachusetts	0
22	Michigan	0
23	Minnesota	0
24	Mississippi	0
25	Missouri	1
26	Montana	0
27	Nebraska	0
28	Nevada	0
29	New Hampshire	0
30	New Jersey	0
31	New Mexico	0
32	New York	0
33	North Carolina	0
34	North Dakota	0
35	Ohio	628
36	Oklahoma	0
37	Oregon	0
38	Pennsylvania	0
39	Rhode Island	0
40	South Carolina	0
41	South Dakota	0
42	Tennessee	0
43	Texas	0
44	Utah	0
45	Vermont	0
46	Virginia	0

Choice value	Label	Frequency
47	Washington	0
48	West Virginia	0
49	Wisconsin	0
50	Wyoming	0
51	Washington DC	0
7000000	Prefer Not to Answer	0

Online Informed Consent
The HEALing Communities Study Campaign Evaluation Sponsor
/ Study Title: The National Institute on Drug Abuse / "The HEALing Communities Study (HCS)"
Principal Investigator: Rebecca Jackson, MD
Telephone: (614) 293-4041, (614) 293-8000 (24 Hours)
Address: The Ohio State University- Pomerene Hall 1760 Neil Avenue Suite 380 Columbus, OH 43210

KEY INFORMATION
We are asking you to choose whether or not to volunteer for the HEALing Communities Study funded by the National Institute on Drug Abuse and conducted by four academic institutions: Boston Medical Center, Columbia University, University of Kentucky, and The Ohio State University. This study uses community engagement as a means to increase the use of evidence-based approaches with the goal of reducing opioid-related mortality by 40% over the course of the research study. We are asking you to participate because as a resident of a community involved in the HEALing Communities Study, you have opinions on the effectiveness of the communication campaign promoting the study. The details below may help you decide whether or not to participate. If you have questions, the contact information for the study investigator in charge of the study is provided above.

PARTICIPATION
Your participation in this study involves completing a survey. About 20,000 residents from the 67 communities involved in the HEALing Communities Study will be invited to participate in this survey. The survey will take approximately 20 minutes to complete. The survey will ask about your attitudes, thoughts, and opinions regarding the advertisements being placed in your community that promote the study and its services to the local community. If at any time you are uncomfortable with any question in the survey, you can choose not to answer. You may only participate in this survey once. If you choose to participate, you may be asked to participate in future surveys (maximum of 12) for this and future campaigns. Your participation is voluntary. You may refuse to participate at any

hcs_ceqpt_icf

time. This study is for research purposes only. Your only alternative is to not participate.

COMPENSATION There is no cost to you for participating, and you will not be compensated for completing the survey. However, you will have the opportunity for one entry into a raffle for a \$100 gift card after completing each survey. One member from each of the 67 communities will win a \$100 gift card for each survey completed. Participation in the raffle is not required.

BENEFITS & RISKS You will receive no direct benefits from participating in this study. However, your responses may help us learn more about opioid overdose deaths in your community and potential reduction strategies. There are no physical risks to participating in the study. You will not be asked to provide personal information other than basic demographics, and we will protect your confidentiality. There is a risk that someone could get access to the stored information. Despite the security measures and safeguards we will use, including not storing your name with your information, we cannot guarantee that your identity will never become known. There may be risks that at this time are unknown. Having information collected from many people helps researchers identify trends and discover better ways to work with communities to reduce opioid overdoses. After we remove all identifiers, we would like to securely store, use, and share these data for future research without additional informed consent. There may be risks which are unforeseeable.

CAN YOU CHOOSE TO WITHDRAW FROM THE STUDY EARLY? If you decide to take part in the study, you still have the right to decide at any time that you no longer want to continue. This study is voluntary. If you choose to leave the study early, data collected until that point will remain in the study database and may not be removed. The study investigator or sponsor can stop your participation at any time without your consent for the following reasons: If you fail to follow directions for participating in the study; If it is discovered that you do not meet the study requirements; If the study is canceled; or For administrative reasons. Any new important information discovered that may influence your willingness to continue participation in the study will be given to you.

CONFIDENTIALITY We will not share your name and contact information with anyone outside of the research team. Your survey responses will be securely transmitted and stored at the HCS Data Coordinating Center at RTI International in North Carolina on a secure server. No personally identifying information will be included and your data will be assigned a unique, coded participant ID. Your data will be combined with that of other participants and will only be reported in the aggregate. The study investigator, the sponsor or persons working on behalf of the

sponsor, and under certain circumstances, the Institutional Review Board (IRB) will be able to inspect and copy confidential study-related records which identify you by name. THIS STUDY IS COVERED BY A CERTIFICATE OF CONFIDENTIALITY from the National Institutes of Health. The study investigators with this Certificate may not disclose or use information or documents that may identify you in any federal, state, or local civil, criminal, administrative, legislative, or other action, suit, or proceeding, or be used as evidence, for example, if there is a court subpoena, unless you have consented for this use. Information or documents protected by this Certificate cannot be disclosed to anyone else who is not connected with the study except, if there is a federal, state, or local law that requires disclosure (such as to report child abuse or neglect, harm to self or others, or communicable diseases), but not for federal, state, or local civil, criminal, administrative, legislative, or other proceedings; if you have consented to the disclosure; or if it is used for other scientific research, as allowed by federal regulations protecting research participants. The Certificate cannot be used to refuse a request for information from personnel of the United States federal or state government agency sponsoring the project that is needed for auditing or program evaluation by National Institute on Drug Abuse and the Substance Abuse and Mental Health Services Administration, which are funding this project. You should understand that a Certificate of Confidentiality does not prevent you from voluntarily releasing information about yourself or your involvement in this study.

WHOM TO CONTACT ABOUT THIS STUDY During the study, if you have questions, concerns, or complaints about the study, please contact the Investigator at the telephone number listed on the first page of this consent document. An institutional review board (IRB) is an independent committee established to help protect the rights of research participants. If you have any questions about your rights as a research participant, and/or concerns or complaints regarding this research study, contact: By mail: Study Participant Adviser
Advarra IRB 6940 Columbia Gateway Drive,
Suite 110 Columbia, MD 21046 or call toll
free: 877-992-4724 or by email:
adviser@advarra.com Please reference the
following number when contacting the Study
Participant Adviser: Pro00038088. A description of
this clinical trial will be available on
<http://www.ClinicalTrials.gov>, as required by U.S.
Law. This Web site will not include information
that can identify you. At most, the Web site will
include a summary of the results. You can search
this Web site at any time. CONSENTI have read
and understand this informed consent

information. I have had an opportunity to ask questions if needed, and all of my questions have been answered to my satisfaction. I voluntarily agree to participate in this study until I decide otherwise. I do not give up any of my legal rights by agreeing to this consent information. Once you have read this consent form, if you choose to participate and you are 18 years of age or older, click on I agree to begin the survey. You may print this page for your records. (descriptive)

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0

(radio) **hcs_ceqpt_icfans**

Required
Field type: radio
Observations with this value left blank: 87
Number of unique values: 2

Choice value	Label	Frequency
1	I agree to participate	558
2	I do not agree to participate	10

The following questions are about the HEALing Communities Study (HCS) and also about opioids (a group of drugs that includes heroin, fentanyl, and prescription pain relievers such as oxycodone (OxyContin®), hydrocodone (Vicodin®), codeine, and morphine. (descriptive) **hcs_ceqpt_instr**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1'

Have you heard of the HEALing (Helping End Addiction Long-term) Communities Study (HCS)? (radio) **hcs_ceqpt1**

Required
Field type: radio
Observations with this value left blank: 118
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	45
0	No	491
7000000	Prefer Not to Answer	1

Do you know where to find treatment for opioid addiction/opioid use disorder? (radio) **hcs_ceqpt3**

Required
Field type: radio
Observations with this value left blank: 118
Number of unique values: 5
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Definitely	129
2	Probably	199
3	Probably not	138
4	Definitely not	68
7000000	Prefer Not to Answer	3

Do you know where to find a healthcare provider of medications for the treatment of opioid addiction/opioid use disorder, such as methadone, buprenorphine (Suboxone®), or naltrexone (Vivitrol®)? (radio) **hcs_ceqpt4**

Required
Field type: radio
Observations with this value left blank: 118
Number of unique values: 5
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Definitely	124
2	Probably	170
3	Probably not	149
4	Definitely not	91
7000000	Prefer Not to Answer	3

Do you know where to get naloxone (more commonly known as Narcan), a medication that reverses an opioid overdose? (radio)

hcs_ceqpt5

Required
Field type: radio
Observations with this value left blank: 130
Number of unique values: 5
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Definitely	132
2	Probably	130
3	Probably not	123
4	Definitely not	138
7000000	Prefer Not to Answer	2

Do you know where to find recovery support services for a person with an opioid addiction/ opioid use disorder? (radio)

hcs_ceqpt6

Required
Field type: radio
Observations with this value left blank: 130
Number of unique values: 5
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Definitely	146
2	Probably	173
3	Probably not	130
4	Definitely not	74
7000000	Prefer Not to Answer	2

How much do you agree or disagree with the following statements? People with opioid addiction/opioid use disorder can easily get treatment in my community. (radio)

hcs_ceqpt7

Required
Field type: radio
Observations with this value left blank: 130
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	58
2	Agree	148
3	Neither agree nor disagree	161
4	Disagree	110
5	Strongly disagree	45
7000000	Prefer Not to Answer	3

If I had an opioid addiction/opioid use disorder I would not tell anyone. (radio) **hcs_ceqpt8**

Required
Field type: radio
Observations with this value left blank: 130
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	55
2	Agree	156
3	Neither agree nor disagree	126
4	Disagree	114
5	Strongly disagree	68
7000000	Prefer Not to Answer	6

If I found out that a close friend had an opioid addiction/opioid use disorder, I would avoid him or her. (radio) **hcs_ceqpt9**

Required
Field type: radio
Observations with this value left blank: 138
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	11
2	Agree	30
3	Neither agree nor disagree	66
4	Disagree	190
5	Strongly disagree	217

Choice value	Label	Frequency
7000000	Prefer Not to Answer	3

I would feel uncomfortable seeing my doctor if I found out he or she treated patients with an opioid addiction/opioid use disorder. (radio) **hcs_ceqpt10**

Required
Field type: radio
Observations with this value left blank: 138
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	12
2	Agree	13
3	Neither agree nor disagree	25
4	Disagree	125
5	Strongly disagree	338
7000000	Prefer Not to Answer	4

A doctor should be allowed to refuse or stop seeing patients if they have an opioid addiction/opioid use disorder. (radio) **hcs_ceqpt11**

Required
Field type: radio
Observations with this value left blank: 138
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	20
2	Agree	51
3	Neither agree nor disagree	97
4	Disagree	126
5	Strongly disagree	221
7000000	Prefer Not to Answer	2

Once you have an opioid addiction/opioid use **hcs_ceqpt12**

**disorder there's not much you can do about it.
(radio)**

Required
Field type: radio
Observations with this value left blank: 138
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	4
2	Agree	10
3	Neither agree nor disagree	38
4	Disagree	155
5	Strongly disagree	307
7000000	Prefer Not to Answer	3

I would be willing to carry naloxone (more commonly known as Narcan), the medication that can reverse an opioid overdose, when out in public. (radio) **hcs_ceqpt13**

Required
Field type: radio
Observations with this value left blank: 138
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Strongly agree	146
2	Agree	167
3	Neither agree nor disagree	100
4	Disagree	69
5	Strongly disagree	30
7000000	Prefer Not to Answer	5

Most people would willingly accept someone who has been treated for substance use as a close friend. (radio) **hcs_ceqpt14a**

Required
Field type: radio
Observations with this value left blank: 151
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	18
2	Disagree	69
3	Somewhat Disagree	121
4	Neither Agree nor Disagree	73
5	Somewhat Agree	119
6	Agree	71
7	Strongly Agree	29
7000000	Prefer Not to Answer	4

Most people in my community believe that someone who has been treated for substance use is just as trustworthy as the average citizen. hcs_ceqpt14b
(radio)

Required
Field type: radio
Observations with this value left blank: 151
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	66
2	Disagree	151
3	Somewhat Disagree	120
4	Neither Agree nor Disagree	66
5	Somewhat Agree	49
6	Agree	33
7	Strongly Agree	16
7000000	Prefer Not to Answer	3

Most people in my community would accept someone who has been treated for substance use as a teacher of young children in a public school. hcs_ceqpt14c
(radio)

Required
Field type: radio
Observations with this value left blank: 151
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	152
2	Disagree	145
3	Somewhat Disagree	90
4	Neither Agree nor Disagree	61
5	Somewhat Agree	26
6	Agree	17
7	Strongly Agree	10
7000000	Prefer Not to Answer	3

Most people in my community would hire someone who has been treated for substance use to take care of their children. (radio) **hcs_ceqpt14d**

Required
Field type: radio
Observations with this value left blank: 151
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	148
2	Disagree	152
3	Somewhat Disagree	92
4	Neither Agree nor Disagree	53
5	Somewhat Agree	27
6	Agree	17
7	Strongly Agree	11
7000000	Prefer Not to Answer	4

Most people in my community think less of a person who has been in treatment for substance use. (radio) **hcs_ceqpt14aa**

Required
Field type: radio
Observations with this value left blank: 159
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	10

Choice value	Label	Frequency
2	Disagree	29
3	Somewhat Disagree	44
4	Neither Agree nor Disagree	67
5	Somewhat Agree	154
6	Agree	130
7	Strongly Agree	57
7000000	Prefer Not to Answer	5

Most employers in my community will hire someone who has been treated for substance use if he or she is qualified for the job. (radio) **hcs_ceqpt14ab**

Required
Field type: radio
Observations with this value left blank: 159
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	25
2	Disagree	63
3	Somewhat Disagree	85
4	Neither Agree nor Disagree	118
5	Somewhat Agree	117
6	Agree	71
7	Strongly Agree	13
7000000	Prefer Not to Answer	4

Most employers in my community will pass over the application of someone who has been treated for substance use in favor of another applicant. (radio) **hcs_ceqpt14ac**

Required
Field type: radio
Observations with this value left blank: 159
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	12
2	Disagree	28

Choice value	Label	Frequency
3	Somewhat Disagree	41
4	Neither Agree nor Disagree	106
5	Somewhat Agree	127
6	Agree	120
7	Strongly Agree	58
7000000	Prefer Not to Answer	4

Most people in my community would be willing to date someone who has been treated for substance use. (radio) **hcs_ceqpt14ad**

Required
Field type: radio
Observations with this value left blank: 159
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	27
2	Disagree	80
3	Somewhat Disagree	84
4	Neither Agree nor Disagree	144
5	Somewhat Agree	86
6	Agree	57
7	Strongly Agree	13
7000000	Prefer Not to Answer	5

Most people in my community believe that medications for opioid use disorder such as methadone and buprenorphine are just replacement drugs and not real treatment. (radio) **hcs_ceqpt14ba**

Required
Field type: radio
Observations with this value left blank: 165
Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	13
2	Disagree	37
3	Somewhat Disagree	42

Choice value	Label	Frequency
4	Neither Agree nor Disagree	172
5	Somewhat Agree	108
6	Agree	79
7	Strongly Agree	32
7000000	Prefer Not to Answer	7

Most people in my community believe that if you provide naloxone to reverse an overdose to someone that it will encourage them to continue using in the future. (radio)

hcs_ceqpt14bb

Required
 Field type: radio
 Observations with this value left blank: 165
 Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	13
2	Disagree	57
3	Somewhat Disagree	58
4	Neither Agree nor Disagree	115
5	Somewhat Agree	126
6	Agree	77
7	Strongly Agree	39
7000000	Prefer Not to Answer	5

Most people in my community believe that it is better to offer drug treatment as an alternative to incarceration for people with opioid use disorder who are charged with non-violent crimes. (radio)

hcs_ceqpt14bc

Required
 Field type: radio
 Observations with this value left blank: 166
 Number of unique values: 8

Choice value	Label	Frequency
1	Strongly Disagree	9
2	Disagree	30
3	Somewhat Disagree	48

Choice value	Label	Frequency
4	Neither Agree nor Disagree	97
5	Somewhat Agree	116
6	Agree	121
7	Strongly Agree	62
7000000	Prefer Not to Answer	6

In the past month, have you discussed the topic of opioid addiction/opioid use disorder with others? (radio) **hcs_ceqpt15**

Required
Field type: radio
Observations with this value left blank: 172
Number of unique values: 2
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	196
0	No	287
7000000	Prefer Not to Answer	0

In the past month, have you considered carrying (or begun to carry) naloxone (more commonly known as Narcan), the medication that can reverse an opioid overdose, when out in public? (radio) **hcs_ceqpt16**

Required
Field type: radio
Observations with this value left blank: 172
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	82
0	No	398
7000000	Prefer Not to Answer	3

In the past month, have you made an effort to learn more about medications for treating opioid use disorder (methadone, buprenorphine) **hcs_ceqpt17**

(Suboxone®), or naltrexone (Vivitrol®)? (radio)

Required
Field type: radio
Observations with this value left blank: 173
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	71
0	No	407
7000000	Prefer Not to Answer	4

In the past month, have you suggested to someone that they or their loved one seek treatment for opioid addiction/opioid use disorder? (radio)

hcs_ceqpt18

Required
Field type: radio
Observations with this value left blank: 173
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	76
0	No	403
7000000	Prefer Not to Answer	3

I have had personal issues with opioid addiction/opioid use disorder. (radio)

hcs_ceqpt19a

Required
Field type: radio
Observations with this value left blank: 174
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	53
0	No	420
7000000	Prefer Not to Answer	8

A relative has had personal issues with opioid addiction/opioid use disorder. (radio)**hcs_ceqpt19b**

Required
Field type: radio
Observations with this value left blank: 174
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	198
0	No	278
7000000	Prefer Not to Answer	5

A close friend has had personal issues with opioid addiction/opioid use disorder. (radio)**hcs_ceqpt19c**

Required
Field type: radio
Observations with this value left blank: 174
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	166
0	No	309
7000000	Prefer Not to Answer	6

Someone I know personally has had issues with opioid addiction/opioid use disorder. (radio)**hcs_ceqpt19d**

Required
Field type: radio
Observations with this value left blank: 174
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	284
0	No	190
7000000	Prefer Not to Answer	7

(descriptive)

hcs_ceqpt20ohm1

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

How often have you seen this message? (radio)

hcs_ceqpt23oh

Required

Field type: radio

Observations with this value left blank: 191

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Definitely seen five or more times	8
2	Definitely seen three or four times	12
3	Definitely seen once or twice	30
4	Maybe seen	83
5	Never seen	328
7000000	Prefer Not to Answer	3

This message grabbed my attention. (radio)

hcs_ceqpt20oah

Required

Field type: radio

Observations with this value left blank: 191

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	19
2	Disagree	61
3	Neither Agree nor Disagree	136
4	Agree	201
5	Strongly Agree	43
7000000	Prefer Not to Answer	4

**This message is easy for me to understand.
(radio)**

hcs_ceqpt20obh

Required
 Field type: radio
 Observations with this value left blank: 191
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	24
2	Disagree	103
3	Neither Agree nor Disagree	72
4	Agree	187
5	Strongly Agree	75
7000000	Prefer Not to Answer	3

This message has a picture and text that match. (radio) **hcs_ceqpt20och**

Required
 Field type: radio
 Observations with this value left blank: 191
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	11
2	Disagree	36
3	Neither Agree nor Disagree	112
4	Agree	236
5	Strongly Agree	66
7000000	Prefer Not to Answer	3

This message makes me want to carry naloxone when out in public. (radio) **hcs_ceqpt20odh**

Required
 Field type: radio
 Observations with this value left blank: 191
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	64

Choice value	Label	Frequency
2	Disagree	102
3	Neither Agree nor Disagree	181
4	Agree	83
5	Strongly Agree	30
7000000	Prefer Not to Answer	4

(descriptive)

hcs_ceqpt20ohm2

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

This message makes me want to learn more about medication for opioid use disorder (MOUD). (radio)

hcs_ceqpt20oeh

Required

Field type: radio

Observations with this value left blank: 195

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	34
2	Disagree	100
3	Neither Agree nor Disagree	152
4	Agree	136
5	Strongly Agree	35
7000000	Prefer Not to Answer	3

This message recommends medication for opioid use disorder (MOUD) for a loved one with an opioid addiction. (radio)

hcs_ceqpt20ofh

Required

Field type: radio

Observations with this value left blank: 195

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	59
2	Disagree	133
3	Neither Agree nor Disagree	158
4	Agree	88
5	Strongly Agree	20
7000000	Prefer Not to Answer	2

This message would encourage me to seek help if I had an opioid addiction/opioid use disorder. (radio) **hcs_ceqpt20ogh**

Required
Field type: radio
Observations with this value left blank: 195
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	39
2	Disagree	132
3	Neither Agree nor Disagree	138
4	Agree	110
5	Strongly Agree	38
7000000	Prefer Not to Answer	3

This message would encourage me to seek help for my loved one if they had opioid an addiction/opioid use disorder. (radio) **hcs_ceqpt20ohh**

Required
Field type: radio
Observations with this value left blank: 195
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	32
2	Disagree	76
3	Neither Agree nor Disagree	106
4	Agree	183

Choice value	Label	Frequency
5	Strongly Agree	61
7000000	Prefer Not to Answer	2

(descriptive)

hcs_ceqpt20ofm

Field type: descriptive
 Observations with this value left blank: 0
 Number of unique values: 0
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

How often have you seen this message? (radio)

hcs_ceqpt230f

Required
 Field type: radio
 Observations with this value left blank: 205
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Definitely seen five or more times	4
2	Definitely seen three or four times	4
3	Definitely seen once or twice	23
4	Maybe seen	54
5	Never seen	363
7000000	Prefer Not to Answer	2

This message grabbed my attention. (radio)

hcs_ceqpt20oaf

Required
 Field type: radio
 Observations with this value left blank: 205
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	14
2	Disagree	63
3	Neither Agree nor Disagree	107
4	Agree	207

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

This message makes me want to carry naloxone when out in public. (radio) hcs_ceqpt20odf

Required

Field type: radio

Observations with this value left blank: 214

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	34
2	Disagree	103
3	Neither Agree nor Disagree	141
4	Agree	111
5	Strongly Agree	50
7000000	Prefer Not to Answer	2

This message makes me want to learn more about medication for opioid use disorder (MOUD). (radio) hcs_ceqpt20oef

Required

Field type: radio

Observations with this value left blank: 214

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	21
2	Disagree	75
3	Neither Agree nor Disagree	147
4	Agree	152
5	Strongly Agree	44
7000000	Prefer Not to Answer	2

This message recommends medication for opioid use disorder (MOUD) for a loved one with an hcs_ceqpt20off

opioid addiction. (radio)

Required

Field type: radio

Observations with this value left blank: 214

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	22
2	Disagree	60
3	Neither Agree nor Disagree	117
4	Agree	178
5	Strongly Agree	62
7000000	Prefer Not to Answer	2

**This message would encourage me to seek help if
I had an opioid addiction/opioid use disorder. hcs_ceqpt20ogf
(radio)**

Required

Field type: radio

Observations with this value left blank: 214

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	23
2	Disagree	95
3	Neither Agree nor Disagree	154
4	Agree	120
5	Strongly Agree	45
7000000	Prefer Not to Answer	4

**This message would encourage me to seek help
for my loved one if they had opioid an
addiction/opioid use disorder. (radio) hcs_ceqpt20ohf**

Required

Field type: radio

Observations with this value left blank: 214

Number of unique values: 6

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	16
2	Disagree	61
3	Neither Agree nor Disagree	113
4	Agree	187
5	Strongly Agree	61
7000000	Prefer Not to Answer	3

(descriptive)

hcs_ceqpt20ocm1

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

How often have you seen this message? (radio)

hcs_ceqpt23oc

Required
Field type: radio
Observations with this value left blank: 222
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Definitely seen five or more times	6
2	Definitely seen three or four times	3
3	Definitely seen once or twice	22
4	Maybe seen	53
5	Never seen	346
7000000	Prefer Not to Answer	3

This message grabbed my attention. (radio)

hcs_ceqpt20oac

Required
Field type: radio
Observations with this value left blank: 222
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	8
2	Disagree	26
3	Neither Agree nor Disagree	84
4	Agree	219
5	Strongly Agree	92
7000000	Prefer Not to Answer	4

This message is easy for me to understand.
(radio)

hcs_ceqpt20obc

Required
Field type: radio
Observations with this value left blank: 222
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	3
2	Disagree	13
3	Neither Agree nor Disagree	34
4	Agree	225
5	Strongly Agree	154
7000000	Prefer Not to Answer	4

This message has a picture and text that match.
(radio)

hcs_ceqpt20occ

Required
Field type: radio
Observations with this value left blank: 222
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	5
2	Disagree	27
3	Neither Agree nor Disagree	63
4	Agree	221
5	Strongly Agree	114

Choice value	Label	Frequency
7000000	Prefer Not to Answer	3

(descriptive)

hcs_ceqpt20ocm2

Field type: descriptive
 Observations with this value left blank: 0
 Number of unique values: 0
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

This message makes me want to carry naloxone when out in public. (radio)

hcs_ceqpt20odc

Required
 Field type: radio
 Observations with this value left blank: 230
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	25
2	Disagree	58
3	Neither Agree nor Disagree	115
4	Agree	150
5	Strongly Agree	73
7000000	Prefer Not to Answer	4

This message makes me want to learn more about medication for opioid use disorder (MOUD). (radio)

hcs_ceqpt20oec

Required
 Field type: radio
 Observations with this value left blank: 230
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	18
2	Disagree	55
3	Neither Agree nor Disagree	122
4	Agree	169
5	Strongly Agree	58

Choice value	Label	Frequency
7000000	Prefer Not to Answer	3

This message recommends medication for opioid use disorder (MOUD) for a loved one with an opioid addiction. (radio) **hcs_ceqpt20ofc**

Required
Field type: radio
Observations with this value left blank: 230
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	16
2	Disagree	36
3	Neither Agree nor Disagree	88
4	Agree	204
5	Strongly Agree	78
7000000	Prefer Not to Answer	3

This message would encourage me to seek help if I had an opioid addiction/opioid use disorder. (radio) **hcs_ceqpt20ogc**

Required
Field type: radio
Observations with this value left blank: 230
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	13
2	Disagree	59
3	Neither Agree nor Disagree	139
4	Agree	161
5	Strongly Agree	50
7000000	Prefer Not to Answer	3

**This message would encourage me to seek help
for my loved one if they had opioid an
addiction/opioid use disorder. (radio)**

hcs_ceqpt20ohc

Required
Field type: radio
Observations with this value left blank: 230
Number of unique values: 6
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '35'

Choice value	Label	Frequency
1	Strongly Disagree	12
2	Disagree	38
3	Neither Agree nor Disagree	97
4	Agree	207
5	Strongly Agree	69
7000000	Prefer Not to Answer	2

(descriptive)

hcs_ceqpt230km1

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive)

hcs_ceqpt230km2

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive)

hcs_ceqpt20kfm1

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive)

hcs_ceqpt20kfm2

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive) **hcs_ceqpt20kcm1**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive) **hcs_ceqpt20kcm2**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '17'

(descriptive) **hcs_ceqpt20nhm1**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive) **hcs_ceqpt20nhm2**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive) **hcs_ceqpt20nfm1**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive) **hcs_ceqpt20nfm2**

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive)

hcs_ceqpt20ncm1

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive)

hcs_ceqpt20ncm2

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '32'

(descriptive)

hcs_ceqpt20mhm1

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

(descriptive)

hcs_ceqpt20mhm2

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

(descriptive)

hcs_ceqpt20mfm1

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

(descriptive)

hcs_ceqpt20mfm2

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

(descriptive)

hcs_ceqpt20mcm1

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

(descriptive)

hcs_ceqpt20mcm2

Field type: descriptive

Observations with this value left blank: 0

Number of unique values: 0

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_state] = '21'

In what zip code do you live? (text)

hcs_ceqpt26

Field type: text

Observations with this value left blank: 219

Number of unique values: 200

Branching logic: [hcs_ceqpt_icfans] = '1'

(radio)

hcs_ceqpt26a

Required

Field type: radio

Observations with this value left blank: 653

Number of unique values: 1

Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt26] = "

Choice value	Label	Frequency
7000000	Prefer Not to Answer	2

In what county do you live? (text)

hcs_ceqpt27

Field type: text

Observations with this value left blank: 218

Number of unique values: 82

Branching logic: [hcs_ceqpt_icfans] = '1'

What is your age? (text)

hcs_ceqpt28

Field type: text

Observations with this value left blank: 220
Number of unique values: 60
Branching logic: [hcs_ceqpt_icfans] = '1'

(radio)		hcs_ceqpt28a
Required		
Field type: radio		
Observations with this value left blank: 652		
Number of unique values: 1		
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt28] = "		
Choice value	Label	Frequency
7000000	Prefer Not to Answer	3

Are you Hispanic or Latino/a? (radio)		hcs_ceqpt29
Required		
Field type: radio		
Observations with this value left blank: 219		
Number of unique values: 3		
Branching logic: [hcs_ceqpt_icfans] = '1'		
Choice value	Label	Frequency
1	Yes	20
0	No	414
7000000	Prefer Not to Answer	2

Specify other race: (text)		hcs_ceqpt30a
Field type: text		
Observations with this value left blank: 648		
Number of unique values: 7		
Branching logic: [hcs_ceqpt30(4000000)] = '1'		

What is your gender? (radio)		hcs_ceqpt31
Required		
Field type: radio		
Observations with this value left blank: 219		
Number of unique values: 5		
Branching logic: [hcs_ceqpt_icfans] = '1'		

Choice value	Label	Frequency
1	Male	113
2	Female	315
3	Trans male/Trans man	2
4	Trans female/Trans woman	0
5	Genderqueer/Gender non-conforming	3
4000000	Different Identity	0
7000000	Prefer Not to Answer	3

What is the highest degree or level of school you have completed? (radio) **hcs_ceqpt32**

Required
Field type: radio
Observations with this value left blank: 219
Number of unique values: 9
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Less than a high school diploma	14
2	High school degree or equivalent (e.g. GED)	62
3	Some college	116
4	Associate degree (e.g. AA	52
5	Bachelor's degree (e.g. BA	129
6	Master's degree (e.g. MA	51
7	Professional degree (e.g. MD	7
8	Doctorate (e.g. PhD	4
7000000	Prefer Not to Answer	1

Are you a licensed healthcare provider? (radio) **hcs_ceqpt33**

Required
Field type: radio
Observations with this value left blank: 219
Number of unique values: 3
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	43
0	No	389

Choice value	Label	Frequency
7000000	Prefer Not to Answer	4

What type of healthcare provider are you? (radio) hcs_ceqpt34

Required
Field type: radio
Observations with this value left blank: 612
Number of unique values: 11
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt33] = '1'

Choice value	Label	Frequency
1	Medical Doctor (MD)	1
2	Doctor of Osteopathic Medicine (DO)	1
3	Physician's Assistant (PA)	1
4	Pharmacist	0
5	Registered Nurse (RN)	14
6	Advanced Practice Registered Nurse (APRN)	2
7	Clinical Medical Assistant (CMA)	0
8	Registered Medical Assistant (RMA)	0
9	Licensed Practical Nurse (LPN)	2
10	Certified Nursing Assistant (CNA)	1
11	Emergency Medical Technician (EMT)	1
12	Paramedic	2
4000000	Other	17
7000000	Prefer Not to Answer	1

Please tell us what other type of healthcare provider you are: (text) hcs_ceqpt34_oth

Field type: text
Observations with this value left blank: 638
Number of unique values: 16
Branching logic: [hcs_ceqpt34] = '4000000'

Would you consider yourself a leader in your community? (radio) hcs_ceqpt35

Required
Field type: radio

Observations with this value left blank: 219
 Number of unique values: 3
 Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	31
0	No	392
7000000	Prefer Not to Answer	13

What type of community leader are you? (radio) hcs_ceqpt36

Required
 Field type: radio
 Observations with this value left blank: 624
 Number of unique values: 6
 Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt35] = '1'

Choice value	Label	Frequency
1	Elected or appointed official	1
2	Business owner	2
3	Board member	5
4	Board member	1
5	Head of religious organization (congregation)	5
4000000	Other	17
7000000	Prefer Not to Answer	0

Please tell us what your role is in your community: (text) hcs_ceqpt36_oth

Field type: text
 Observations with this value left blank: 638
 Number of unique values: 17
 Branching logic: [hcs_ceqpt36] = '4000000'

If you wish to be entered into a raffle with a chance to win a \$100 Amazon e-gift card, please complete the fields below. Your contact information will remain confidential and will only be used for entry into the raffle and to contact you should you win a gift card. You do not have to provide your contact information below. This is completely voluntary and will in no way impact your participation in the current survey.

hcs_ceqpt_end1

(descriptive)

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1'

Enter Name: (text)

hcs_ceqpt_name1

Identifier
Field type: text
Observations with this value left blank: 227
Number of unique values: 427
Branching logic: [hcs_ceqpt_icfans] = '1'

Enter Email Address: (text)

hcs_ceqpt_email1

Identifier
Field type: text
Observations with this value left blank: 227
Number of unique values: 428
Branching logic: [hcs_ceqpt_icfans] = '1'

Thank you for participating in our survey. We may wish to contact you about future surveys about the HCS and messages advertising the HCS. By completing additional surveys you will be able to enter into future raffles, thereby increasing your potential to win a \$100 Amazon e-gift card.

hcs_ceqpt_end2

**Can we invite you to participate in future surveys?
(radio)**

Field type: radio
Observations with this value left blank: 226
Number of unique values: 2
Branching logic: [hcs_ceqpt_icfans] = '1'

Choice value	Label	Frequency
1	Yes	377
0	No	52

Thank you! We will use the email address that you provided to contact you about participating in future surveys. (descriptive)

hcs_ceqpt_end2y

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_end2] = '1'

Thank you. That was our last question.
(descriptive)

hcs_ceqpt_end2n

Field type: descriptive
Observations with this value left blank: 0
Number of unique values: 0
Branching logic: [hcs_ceqpt_icfans] = '1' and [hcs_ceqpt_end2] = '0'